



# Marine Design Appraisal Document

**Lloyd's Register EMEA**  
**Marine Technology & Engineering Services**  
**Engineering Systems**  
**71, Fenchurch Street**  
**London**  
**EC3M 4BS**

Date  
**22 January 2014**

Please quote this reference number on all future communications  
**MTEC/ENG/RJP/WP16351902**

## THE LR TYPE APPROVAL SYSTEM 2002

*Issued to: JP3.,*

*Product: JP3 RUDDER BEARINGS TYPE IV: TYPE 40 TO 47 AND TYPE 48-49*

**Valid until 4<sup>th</sup> November 2017**

1. The Document listed in paragraph 1 of the appendix have been examined for compliance with:  
Part 14, Chapter 1 of the Rules and Regulations for the Classification of Special Service Craft, July 2013  
and will be assigned an appraisal status, as indicated, subject to the following conditions and comments.
2. Machinery:

Manufacturer	JP3
Equipment	Rudder Stock Bearings
Service	Steering Gear
Bearing Material	"Ertalyte" or "Peek HPV"
Rudder Stock Material	Stainless steel, composite or aluminium

3. Type IV Bearings: Type 40 to 47: n.b. x = 0 to 7 and y = 0 to 9

3.1 1 row of barrel rollers

Ref.	Working load (kgf)		Ref.	Working load (kgf)	
	Ertalyte	Peek		Ertalyte	Peek
4x.1y.07	2470	4186	4x.1y.12	4651	7883
4x.1y.08	2882	4884	4x.1y.13	5132	8699
4x.1y.09	3258	5522	4x.1y.14	6135	10398
4x.1y.10	3742	6343	4x.1y.15	6928	11743
4x.1y.11	4491	7611	4x.1y.16	7313	12396

FINAL ACCEPTANCE OF ACTUAL ITEM(S) DEPEND(S) ON SATISFACTORY SURVEY AND TESTING

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group Limited

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

**Lloyd's Register EMEA**  
**Marine Technology & Engineering Services**  
**Engineering Systems**  
**71, Fenchurch Street**  
**London**  
**EC3M 4BS**

Date  
**22 January 2014**

Please quote this reference number on all future communications  
**MTEC/ENG/RJP/WP16351902**

### 3.1 2 rows of barrel rollers

Ref.	Working load (kgf)		Ref.	Working load (kgf)	
	Ertalyte	Peek		Ertalyte	Peek
4x.2y.07	3625	6144	4x.2y.16	10410	17645
4x.2y.08	4518	7658	4x.2y.17	12877	21826
4x.2y.09	4699	7965	4x.2y.18	15011	25443
4x.2y.10	5538	9387	4x.2y.19	15428	26150
4x.2y.11	6177	10470	4x.2y.20	15698	26607
4x.2y.12	7204	12209	4x.2y.21	17557	29758
4x.2y.13	8307	14080	4x.2y.22	20506	34755
4x.2y.14	9543	16174	4x.2y.25	23008	38997
4x.2y.15	10410	17645	4x.2y.26	25100	42543

### 3.2 3 rows of barrel rollers

Ref.	Working load (kgf)		Ref.	Working load (kgf)	
	Ertalyte	Peek		Ertalyte	Peek
4x.3y.08	5958	10098	4x.3y.27	35452	60088
4x.3y.09	6082	10308	4x.3y.28	38087	64555
4x.3y.10	7470	12662	4x.3y.30	41878	70980
4x.3y.11	9309	15778	4x.3y.32	48769	82659
4x.3y.12	10467	17741	4x.3y.34	55132	93445
4x.3y.13	11657	19757	4x.3y.36	61389	104049
4x.3y.14	12370	20967	4x.3y.37	65537	111080
4x.3y.15	13281	22510	4x.3y.38	74397	126097
4x.3y.16	16287	27604	4x.3y.40	77258	130947
4x.3y.17	19087	32351	4x.3y.42	83157	140944
4x.3y.18	19431	32934	4x.3y.44	88576	150129
4x.3y.19	18338	31082	4x.3y.45	89869	152321
4x.3y.20	21194	35921	4x.3y.46	92455	156704
4x.3y.21	23626	40043	4x.3y.47	92455	156704
4x.3y.22	24941	42273	4x.3y.48	95197	161351
4x.3y.23	26058	44165	4x.3y.49	96587	163706
4x.3y.24	26058	44165	4x.3y.50	98106	166281
4x.3y.25	29184	49465	4x.3y.53	98430	166830
4x.3y.26	33441	56679	4x.3y.56	111551	189070

FINAL ACCEPTANCE OF ACTUAL ITEM(S) DEPEND(S) ON SATISFACTORY SURVEY AND TESTING

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group Limited

**Lloyd's Register EMEA**  
**Marine Technology & Engineering Services**  
**Engineering Systems**  
**71, Fenchurch Street**  
**London**  
**EC3M 4BS**

Date  
**22 January 2014**

Please quote this reference number on all future communications  
**MTEC/ENG/RJP/WP16351902**

4. Type IV Bearings: Type 48 to 49: *n.b. x = 8 or 9, y=0 to 9*

Ref.	Working load (kgf)		Ref.	Working load (kgf)		Ref.	Working load (kgf)	
	Ertalyste	Peek		Ertalyste	Peek		Ertalyste	Peek
4x.2y.07	3994	6770	4x.2y.27	34097	57791	4x.2y.46	69263	117395
4x.2y.08	4793	8124	4x.2y.28	36604	62041	4x.2y.47	71045	120415
4x.2y.09	4759	8065	4x.2y.29	36897	62538	4x.2y.48	72487	122859
4x.2y.10	5637	9554	4x.2y.30	37752	63987	4x.2y.49	76299	129320
4x.2y.11	6040	10237	4x.2y.31	39810	67475	4x.2y.50	80114	135786
4x.2y.12	7501	12713	4x.2y.32	37885	64213	4x.2y.51	74967	127063
4x.2y.13	9041	15324	4x.2y.33	39271	66562	4x.2y.52	75985	128788
4x.2y.14	10942	18546	4x.2y.34	42009	71202	4x.2y.53	79067	134012
4x.2y.15	12801	21697	4x.2y.35	43039	72947	4x.2y.54	81158	137556
4x.2y.16	13157	22299	4x.2y.36	47865	81127	4x.2y.55	83808	142048
4x.2y.17	15248	25845	4x.2y.37	47680	80814	4x.2y.56	87312	147986
4x.2y.18	15531	26323	4x.2y.38	50563	85700	4x.2y.57	89236	151247
4x.2y.19	16558	28064	4x.2y.39	52063	88242	4x.2y.58	91665	155365
4x.2y.20	17078	28946	4x.2y.40	53739	91083	4x.2y.68	101084	171329
4x.2y.21	19226	32586	4x.2y.41	56551	95849	4x.2y.75	121828	206487
4x.2y.22	16728	28352	4x.2y.42	59184	100313	4x.2y.80	137889	233711
4x.2y.23	27813	47140	4x.2y.43	61382	104038	4x.2y.83	186040	315322
4x.2y.24	30557	51791	4x.2y.44	64493	109310	4x.2y.112	563341	954816
4x.2y.25	30999	52540	4x.2y.45	65897	111690	4x.2y.115	605769	1026727
4x.2y.26	31814	53923						

5. Conditions of Approval:

- 5.1 The system is to be constructed, tested, installed and maintained on board in accordance with manufacturer requirements and tried and tested under working conditions to the satisfaction of the Surveyor.
- 5.2 All bolting arrangements are to be locked and secured to the satisfaction of the Surveyor.
- 5.3 The Bearings are to be used with stainless steel, composite or aluminium rudder stocks only.
- 5.4 Type IV Bearings will accept +/- 3.5 degree maximum rudder stock deflection.

6. General Comments:

- 6.1 This approval is valid until the date at the head of the document. After that time an extension would be considered

Richard J. Parry, Senior Surveyor		
Marine Technology & Engineering Services		
	+44 (0) 17683.51043	(direct)
	<a href="mailto:richard.parry@lr.org">richard.parry@lr.org</a>	
	<a href="http://www.lr.org">www.lr.org</a>	

FINAL ACCEPTANCE OF ACTUAL ITEM(S) DEPEND(S) ON SATISFACTORY SURVEY AND TESTING

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group Limited

**Lloyd's Register EMEA**  
**Marine Technology & Engineering Services**  
**Engineering Systems**  
**71, Fenchurch Street**  
**London**  
**EC3M 4BS**

Date  
**22 January 2014**

Please quote this reference number on all future communications  
**MTEC/ENG/RJP/WP16351902**

## Appendix

1 The documents listed below have been examined

Drawing No.	Rev.	Title	Status	Date
48.22.80-1	-	48.22.80 – Noix	SI	10 <sup>th</sup> January 2008
48.22.80-2	-	48.22.80 - Cage	SI	10 <sup>th</sup> January 2008
48.22.80-3	-	48.22.80 - Flasque	SI	10 <sup>th</sup> January 2008
48.22.80-4	-	48.22.80 - Cage	SI	10 <sup>th</sup> January 2008
48.22.80-5	-	48.22.80 - Colerette	SI	10 <sup>th</sup> January 2008
48.22.80	-	48.22.80 – Galet ØLg76mm	SI	10 <sup>th</sup> January 2008
-	-	Palier Type IV 4X.10.XX, Palier Haut	RI	7 <sup>th</sup> October 2002
-	-	Palier Type IV 4X.12.XX, Palier Haut	SI	7 <sup>th</sup> October 2002
-	-	Palier Type IV 4X.20.XX, Palier Haut	SI	7 <sup>th</sup> October 2002
-	-	Palier Type IV 4X.22.XX, Palier Haut	SI	7 <sup>th</sup> October 2002
-	-	Palier Type IV 4X.30.XX, Palier Haut	SI	7 <sup>th</sup> October 2002
-	-	Palier Type IV 4X.32.XX, Palier Haut	SI	7 <sup>th</sup> October 2002
-	-	Implantation of Type IV Bearing for Composite Boat.	SI	7 <sup>th</sup> October 2002
-	-	Implantation of Type IV Bearing for Aluminium Boat.	SI	7 <sup>th</sup> October 2002
-	-	Type IV Bearing 48.22.xx	SI	9 <sup>th</sup> October 2006
-	-	Inner Races and Barrel Rollers	SI	9 <sup>th</sup> October 2006
-	-	Outer Races	SI	9 <sup>th</sup> October 2006
-	-	Seal Carriers	SI	9 <sup>th</sup> October 2006
48.20.68	1	A Assembly	SI	23 <sup>rd</sup> March 2009
	2	A Cage	SI	23 <sup>rd</sup> March 2009
	3	Noix	SI	23 <sup>rd</sup> March 2009
	4	A Colerette	SI	23 <sup>rd</sup> March 2009
	5	A Flasque	SI	23 <sup>rd</sup> March 2009
	6	Support Quadring	SI	23 <sup>rd</sup> March 2009
	7	Rondelle D'Appui	SI	23 <sup>rd</sup> March 2009
	8	Galet	SI	23 <sup>rd</sup> March 2009
H68	A	Housing	SI	23 <sup>rd</sup> March 2009
48.22.68		Calculations (2 sheets)	SI	23 <sup>rd</sup> March 2009
48.22.XX	-	Type 48 Assembled	SI	12 <sup>th</sup> July 2013
	-	Type 48 Outer Race	SI	12 <sup>th</sup> July 2013
	-	Type 48 Seal Carriers	SI	12 <sup>th</sup> July 2013
	-	Type 48 Inner Races and Barrel Rollers	SI	12 <sup>th</sup> July 2013
	-	Type 48 Specifications	SI	12 <sup>th</sup> July 2013
4x.3y.xx		Type IV specifications updated with 4x.3y.44 to 4x.3y.56	SI	22 <sup>nd</sup> January 2014

1. The documents listed below have been considered together with the submitted documents in the appraisal

Document No.	Title	Date
NTS 02002/01	Annual Surveillance Report	4 <sup>th</sup> June 2013

### Appraisal Status Key

SI Retained as supporting documentation for information only

FINAL ACCEPTANCE OF ACTUAL ITEM(S) DEPEND(S) ON SATISFACTORY SURVEY AND TESTING

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group Limited